+1-833-KCA-LABS https://kcalabs.com KDA Lic.# P_0058

1 of 1

HHC-PO Cartridge

Sample ID: SA-240507-39783 Batch: 05032024

Type: Finished Product - Inhalable Matrix: Concentrate - Distillate

Unit Mass (g):

Collected: 05/03/2024 Received: 05/09/2024 Completed: 05/24/2024 Client

Eighty8 s.r.o Havlíčkova 75

Frýdlant nad Ostravicí, Moravskoslezský kraj 73911

Czech Republic



Summary

Test Cannabinoids **Date Tested** 05/24/2024

Status Tested

ND Total Δ9-THC

46.7 % 9R-HHCP 92.6 %

Total Cannabinoids

Not Tested

Moisture Content

Not Tested

Foreign Matter

Yes

Internal Standard Normalization

Cannabinoids by HPLC-PDA and GC-MS/MS

Analyte	LOD	LOQ	Result	Result
	(%)	(%)	(%)	(mg/g)
CBC	0.0095	0.0284	ND	ND
CBCV	0.006	0.018	ND	ND
CBD	0.0081	0.0242	ND	ND
CBDV	0.0061	0.0182	ND	ND
CBG	0.0057	0.0172	ND	ND
CBL	0.0112	0.0335	ND	ND
CBN	0.0056	0.0169	ND	ND
CBN acetate	0.0067	0.02	ND	ND
CBT	0.018	0.054	ND	ND
Δ4,8-iso-THC	0.0067	0.02	ND	ND
Δ8-THC	0.0104	0.0312	ND	ND
Δ8-THC acetate	0.0067	0.02	ND	ND
Δ8-THCP	0.0067	0.02	ND	ND
Δ9-THC	0.0076	0.0227	ND	ND
Δ9-THC acetate	0.0067	0.02	ND	ND
Δ9-THCP	0.0067	0.02	ND	ND
Δ9-THCV	0.0069	0.0206	ND	ND
(6aR,9R,10aR)-HHC acetate	0.0067	0.02	ND	ND
(6aR,9S,10aR)-HHC acetate	0.0067	0.02	ND	ND
9R-HHCP	0.0067	0.02	46.7	467
9R-HHCP acetate	0.0067	0.02	31.2	312
9S-HHCP	0.0067	0.02	9.27	92.7
9S-HHCP acetate	0.0067	0.02	5.39	53.9
Total Δ9-THC			ND	ND
Total			92.6	926

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; Δ = Delta; Total Δ 9-THC = Δ 9-THC4 * 0.877 + Δ 9-THC; Total CBD = CBDA * 0.877 + CBD;

Generated By: Ryan Bellone CCO

Date: 05/24/2024

Tested By: Scott Caudill Laboratory Manager Date: 05/24/2024









This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 170252017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories KCA Laboratories and provide measurement uncertainty upon request.